

Removable Rx

Laboratory Procedure Prescription

5701 E Hillsborough Ave, Ste 2120, Tampa, FL 33610

Required Informa	tion	Rx Date	
Doctor Name		Due Date/Delivery onPatient Name	
Practice Name		Patient Chart #	
Address		□ M □ F DOB	
Address		UPS Tracking #	
Phone		Case turnaround times are based on the date the Rx is received at Cadmus Dental Lab. Please allow 10 business days (M-F) from that date and 15 business days for complex cases.	
Case Instructions			17 (1)
☐ Teeth to be extracted to Teeth removed from m processing Extractions - Please man to be extracted	nodel at final	9 10 32 31 31 31 30 14 30 29 28 15 7. 27 16	18 P 19 20 21 22 P 26 25 24 23 P
Acrylic Shade	Dentures	Partials	
□ Lucitone 199 □ Light Pink (Luc199L) □ Light Meharry □ Meharry Tooth Shade Shade Guide Used (vita default)	Upper □Cast Met □ Lower □Cast Met □ Prime Denture □ Frame □ Immediate/ Surgical Denture □Base Plane □ Setup/Try In □Bite Rim □ Finish	al □Lower □ Setup/Try In Tray □Finish	 □ Custom Tray □ Base Plate □ Bite Rim Partial Design □ Horseshoe Palate (uppe □ Wrought Wire Clasps (2) □ Ball Clasps
Night Guards	Repairs	□Valplast Partial □Immediate/ Surgical	☐ Full Palatal Metal Coverage (upper)
□Upper □ Soft □Lower □ Hard □ Flexible	☐ Reline ☐ Soft Line ☐ Add Clas ☐ Simple Repair ☐ (clasp type) ☐ Complex Repair	r Partial r □Unilateral CadFlex P □Unilateral Metal	☐ Lingual Bar (lower) ☐ Cosmetic Clasps Type ☐ Lingual Apron (lower) ☐ A-P Strap
Notes:		□ Vitallium	
		Patient Photos - Please se to photos@cadmusdent	allab.com
		to customerservice@cad	oplicable remake requests
(Pequired by law)		*If no ontions are selected th	he lah default will he chosen

**The person signing this form is an authorized signer and, along with the dental practice, accepts $responsibility for payment \ of \ all \ related \ charges, as \ well \ as \ any \ legal \ costs, \ collection \ and \ other fees$ $incurred \ by \ Cadmus \ Dental \ Lab \ in \ the \ event \ the \ account \ is \ sent \ to \ collections \ or \ litigation.$

cadmusdentallab.com | (800) 818-1704